



# Romatech

*powered by Thomas Regout B.V.*



**Revolutionary  
new  
blind system**



**THOMAS REGOUT B.V.**

A REGOUT GROUP COMPANY



## Romatech

*powered by Thomas Regout B.V.*

We are proud to introduce the revolutionary new blind system Romatech. This sixfold patented system enables you to introduce a quality blind range without any sewing and with an extremely low start up cost. It's suitable for almost every Roller Blind fabric (reducing stock items) translucent or black out blinds fabric and also furnishing or drapery designed fabric to make Customized Roman blinds. Manufacturing of Romatech blinds requires no additional skills, tooling or sewing machinery. The style is refreshingly chic and modern.



The revolutionary Romatech System enables any workroom, no matter how large or small, to introduce a quality Roman Blind range. With the use of the Patented Romatech Applicators and Aluminium Profiles the system is simple and efficient to assemble. Add to this the Romatech Twist Rings, the special End Caps and with the minimum of skill you can produce the highest quality Roman Blind in as little as 15 minutes.

In summary, the Romatech System has been specifically designed to:

- eliminate Stitch holes
- eliminate fabric snagging, lining tearing and misalignment of the batten
- eliminate the need for skilled (sewing) labour
- minimize manufacturing times
- create a modern and elegant stylized blind

## The concept Romatech

**The total Romatech system consists of:**

- **No sew head rail (no velcro)**
- **No sew batten**
- **No sew bottom weight bar**
- **Possibility to use decorative front treatment (Timbertech)**
- **Possibility to use designer fabric with no disruption to the fabric pattern**

## Headrail

The new Romatech No Sew Headrail System (without velcro) has been specifically designed, as with all of the Romatech Systems, to minimize manufacturing time and maximize profit. Each Romatech No Sew Headrail System allows the manufacturer to offer their clients the choice of Cord Operation, Heavy Duty Locking Mechanism, Chain Lift Mechanism or even Motorization utilizing the same Headrail Profile and again, all without sewing.






The Romatech No Sew Headrail System is installed by using our Quick Click Bracket. The bracket can be used either on the wall or the ceiling. The clever design of the headrail fully hides the brackets behind the fabric and minimizes the clearance between the blind and the top of the window.

## Batten

This profile in combination with a transparent spline fits on almost every fabric. The patented applicator avoids any damage to the fabrics and makes the assembly very fast and simple. The transparent twist ring can be fitted easily on the batten. Available in standard matching colours.




## Bottom Weight Bar

With the new patented Romatech No Sew Bottom Weight Bar the choice is yours. This bar can be used either exposed or enclosed using one product to obtain two different styles. A bottom weight bar applicator, similar to the batten applicator makes it easy to attach the bottom weight bar to the fabric. This bottom weight rail is also highly suitable for other systems like roller and panel blinds, minimizing your inventory. Available in standard matching colours. For special projects and larger blinds, internal weights can be inserted in the base rail.

## Timbertech

It is simple to give your Romatech blind an entirely different look with Timbertech's unique coloured slats by just replacing the transparent spline which is fixed in the batten. It is easy as 1-2-3 and requires no extra skills, tooling or machinery.



## Use of patterned fabric for Custom Roman Blinds

With the use of the Romatech Custom Roman insert you are able to use almost any furnishing or drapery fabric in a blind without disrupting the designed pattern and create a fully No Sew soft Roman Blind.

